EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7013	((test\$3 detect\$3 measur\$4 determin\$4) with ignition). clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 14:03
L2	134817	(sensor probe connector adapter)with (flexible tubular segment)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 14:04
L3	11	1 same 2	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 14:04
L5	23	((Kark near2 heinz near2 dittmann)(werner near2 bumen)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 15:05
L6	5959	(CAP with (tip electrode probe))with (protect\$3 color illuminat\$4 light\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 16:03
L7	2	1 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 16:03
L8	237061	(illuminat\$4 light\$3)with (tip electrode probe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 16:35
L9	102	1 and 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 16:35
L10	33768	((illuminat\$4 light\$3)with (tip electrode probe)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 16:37

L11	24	9 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 16:37
L12	5	(US-20070188176-\$).did. or (US-4302724-\$ or US- 4026621-\$ or US-4089316-\$ or US-5001432-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/11/05 16:48
S1	2	"20070188176"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 11:59
S2	50	("3597963" "4034600" "4069823" "4078864" "4102049" "4140020" "4248274" "4273149" "4274419" "4274423" "4290516" "4293962" "4294264" "4295694" "4297714" "4301407" "4306455" "4306805" "4308666" "4311424" "4320405" "4485559" "4503310" "4543965" "4873994" "4957110" "4968146" "4991590" "5184621" "5193912" "5518560" "5523845" "5566680" "5501702" "5518560" "5523845" "5566680" "5601365" "5687187" "5691636" "5758538" "5816756" "5829152" "6002131" "6003237" "6011234" "6098447" "6127682" "6131452" "6156261" "6163973" "6178655").pn.	US-PGPUB; USPAT	OR	OFF	2009/09/10
S3	7240	((measur\$4 detect\$3 sens\$3 monitor\$3 inspect\$3)with (ignition)).clm.	US-PGPUB; USPAT	OR	OFF	2009/09/10 16:07
S4	110942	(flexible with (tip electrode tube))	US-PGPUB; USPAT	OR	OFF	2009/09/10 16:08
S5	7307	((measur\$4 detect\$3 sens\$3 monitor\$3 inspect\$3)with (ignition)).clm.	US-PGPUB; USPAT	OR	OFF	2009/11/05 10:34
S6	112177	(flexible with (tip electrode tube))	US-PGPUB; USPAT	OR	OFF	2009/11/05 10:34
S7	35	S5 and S6	US-PGPUB; USPAT	OR	OFF	2009/11/05 10:34

S8	2698	(324/378-402).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 10:35
S9	0	(73/116).COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 10:35
S10	488	(73/114.62- 114.67,114.08,116).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 10:37
S12	2954	S8 S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 10:37
S13	36433	((tubular segment tube)with flexible).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 10:39
S14	40225	((tubular segment tube tip) with flexible).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 10:40
S15	5	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/05 10:40
S16	15	("1989893" "2835724" "2853691" "3058089").PN. OR ("4026621").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 11:34
S17	10	("3068573" "3616622" "3710246" "3793545" "4089316").PN. OR ("4302724").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 11:35
S18	25	S16 S17	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 11:36
S19	0	S18 and ((section segment) with pivotab\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 11:37

	S20	3	\$18 and (lock\$3 capacitiv\$4 (votlage adj divider)lighted	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/05 11:38
0.000000			illuminat\$4)				

11/5/09 5:03:31 PM

C:\ Documents and Settings\ AHe\ My Documents\ EAST\ workspaces\ 10593369.wsp